

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade Name: Sharpak 220 Company: Nolato Jaycare Walton Road Farlington Portsmouth **PO6 1TS** UK

Contact Customer Services - +44 (0) 2392 314711

MEDICAL APPLICATION CAUTION: Do not use this product in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues. Do not use this product in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues

Nolato Jaycare Ltd makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

2. IDENTIFICATION OF HAZARDS

Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Labeling according to EC Directives (1999/45/EC)

The product does not need to be labeled in accordance with EC directives or respective national laws.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Contains Polypropylene

Nolato Jaycare Limited

Walton Road, Farlington, Portsmouth PO6 1TS, United Kingdom Telephone: +44 (0)23 9237 0102. Fax: +44 (0)23 9238 0314. E-mail: sales.jaycare@nolato.com Website: www.nolato.com/jaycare Registered in England 598957



Hazardous ingredients

Contains no hazardous ingredients according to GHS. :

4. FIRST AID MEASURES				
Skin Contact		gets on skin, quickly cool in water. Seek immediate medical		
		peel the solidified material from the skin or use solvents or		
		thinners to dissolve it.		
Eye Contact		In the case of eye contact with molten material, rinse immediately with plenty of		
	water to cool area and seek immediate medical attention. In the case of eye			
	contact with cold material, product is an inert solid, remove as one would with any			
	foreign object. In the c	ase of eye irritation, seek medical attention		
Inhalation	Move to fresh air in case of inhalation of dust or fumes from overheating or			
	combustion. If symptoms persist, seek medical attention.			
Ingestion	First Aid is not normall	y required		
5. FIRE-FIGHTING MEAS	IDES			
5. FIRE-FIGHTING MEAS	JRES			
Suitable extinguishing med	ia	Water. Water mist. Dry chemical. Carbon dioxide		
0 0		(CO2). Foam. If possible, water should be applied as		
		a spray from a fogging nozzle since this is a surface		
		burning material. The application of high velocity		
		water will spread the burning surface layer. Use		
		extinguishing measures that are appropriate to local		
		circumstances and the surrounding environment.		
Special protective equipme	ent for fire-fighters	Use personal protective equipment. Wear self		
	-	contained breathing apparatus for fire fighting if		
		necessary.		
Further information		This material will burn although it is not easily ignited.		
Fire and combasies mastered				
Fire and explosion protection	on	Treat as a solid that can burn. Avoid generating dust;		
		fine dust dispersed in air in sufficient concentrations,		
		and in the presence of an ignition source is a potential		
Hazardous decomposition products		dust explosion hazard.		
Hazardous decomposition	products	Normal combustion forms carbon dioxide, water vapor		
		and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products		
		(ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete		
		combustion can also produce formaldehyde.		
6. ACCIDENTAL RELEAS	E MEASURES	combustion can also produce formaidenyde.		
Personal precautions		Sweep up to prevent slipping hazard. Avoid breathing		
		dust.		
Environmental precautions		Do not contaminate surface water. Prevent product		
		from entering drains.		
Methods for cleaning up		Clean up promptly by sweeping or vacuum.		
Additional advice		Dust deposits should not be allowed to accumulate on		
		surfaces, as these may form an explosive mixture if		



clearing dust surfaces with compressed air).
concentration. Avoid dispersal of dust in the air (i.e.,
they are released into the atmosphere in sufficient

7. HANDLING AND STORAGE

Handling

Use good housekeeping for safe handling of the product. Keep out of water sources and sewers.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient.

Avoid creating dust.

Storage

Keep in a dry place. Keep in a well-ventilated place. Do not store together with oxidizing and self-igniting products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	No respiratory protection is normally required. If
Respiratory protection	heated material generates vapor or fumes that are not
	adequately controlled by ventilation, wear an
	appropriate respirator. Use the following elements for
	air-purifying respirators: Organic Vapor and
	Formaldehyde. Use a positive pressure, air-supplying
	respirator if there is potential for uncontrolled release,
	exposure levels are not known, or other
	circumstances where air-purifying respirators may not
	provide adequate protection. Dust safety masks are recommended when the dust concentration is
	excessive.
Eye protection	Use of safety glasses with side shields for solid
	handling is good industrial practice. If this material is
	heated, wear chemical goggles or safety glasses with
	side shields or a face shield. If there is potential for
	dust, use chemical goggles. If this material is heated, wear chemical goggles or safety glasses and a face
	shield.
Skin and body protection	At ambient temperatures use of clean and protective
	clothing is good industrial practice. If the material is
	heated or molten, wear thermally insulated, heat-
	resistant gloves that are able to withstand the
	temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact
	if engineering controls or work practices are not
	adequate.
9. PHYSICAL AND CHEMICAL PROPER	RTIES



Information on basic physical and che	emical properties
Appearance Form Physical state Colour Odour	Moulded container and Closure system Solid Yellow Mild to no odour
Safety data	
Thermal decomposition	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Softening point/range	90 - 140 °C (194 - 284 °F)
Density	0,91 - 0,97 g/cm3
Water solubility	Negligible
10. STABILITY AND REACTIVITY	
Chemical stability	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure
Possibility of hazardous reactions	
Conditions to avoid	Avoid prolonged storage at elevated temperature.
Materials to avoid	Avoid contact with strong oxidizing agents.
Other data	No decomposition if stored and applied as directed This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure
11. TOXICOLOGICAL INFORMATION	



Acute oral toxicity	Presumed Not Toxic
Acute inhalation toxicity	Presumed Not Toxic
Acute dermal toxicity	Presumed Not Toxic
Skin irritation	No Skin irritation
Eye irritation	No Eye Irritation
Sensitization	Raw Materials did not cause sensitization on laboratory animals.
Further information	This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a probable human carcinogen by NTP, IARC (2A), and OSHA based on animal data and limited epidemiological evidence.
12. ECOLOGICAL INFORMATION	

Bioaccumulation	Does not bioaccumulate
Mobility	The product is insoluble and floats on water
Biodegradability	This material is not expected to be readily biodegradable.

13. DISPOSAL CONSIDERATIONS

The information in this MSDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

14. TRANSPORT INFORMATION



USDOT - NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO/IMDG - NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA - NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR - NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID - NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

15. REGULATORY INFORMATION

National legislation Major Accident Hazard Legislation 96/82/EC Update: 2003 Directive 96/82/EC does not apply

Notification status

Europe REACH	Materials on the inventory, or in compliance with the inventory
United States of America US.TSCA	Materials on the inventory, or in compliance with the inventory
Canada DSL	Materials on the inventory, or in compliance with the inventory
Australia AICS	Materials on the inventory, or in compliance with the inventory
New Zealand NZIoC	Materials on the inventory, or in compliance with the inventory
Japan ENCS	Materials on the inventory, or in compliance with the inventory
Korea KECI	Materials on the inventory, or in compliance with the inventory
China IECSC	Materials on the inventory, or in compliance with the inventory
15. OTHER INFORMATION	